



10MM OVER FASCIA VENTILATOR

REF: AIR1200



BOTH SECTIONS INTERLOCK MAKING THE FINISHED PRODUCT

ALL UNITS MEASURED ARE IN MILLIMETRES



General

The AIR1200 over fascia ventilator has been designed to establish a clear airflow into the cavity between the fascia board and the felt; this makes it a great choice for situations like re-roofing or a new build. The AIR1200 has a grill specifically designed to be wide enough not to be blocked by water droplets, debris or paint. But still able to stop large insects from gaining access. The AIR1200 vent is supplied assembled in 1m sticks.

Fitting instructions

The AIR1200 over fascia ventilator should be positioned directly on top of the fascia board; with the stop section flush against the vertical edge of the fascia board. It should be nailed down through the anchor holes given across the entire length of the eaves.

Details

REF	AIR1200	MANUFACTURING PROCESS	Injection moulded
BOX SIZE (MM)	135 x 210 x 1020	MATERIAL	PPC - Polypropylene copolymer
PALLET SIZE (M)	1 X 1.2 X 2.25		
FREE AREA	10,000mm ² (EQUIVALENT TO A 10mm GAP)	ASSOCIATED PRODUCTS	AIR500, AIR 700, AIR1300, AIR1400, AIR1500, AIR2500
PACKING	Product per box = 50, Boxes per pallet = 48		
WEIGHT	Product = 120g, Box = 6.3kg, pallet = 318kg	COLOUR	BLACK

References

- BSI-BS5250
- BRE-DIGEST 262/270
- NHBC-Standards 7.2
- NHBC-Good Practice Guide
- DOE-Building Regulations F2

Version 1.0

14/08/2018

DRN BY T.S.HUISH

DRG No. 018